

Hot Sale Prime Quality Customized Size Cold Rolled Stainless Steel Coil Strip 316 304 430

Basic Information

Place of Origin: chinaBrand Name: jinshunlai

• Certification: ISO, AISI, ASTM, GB, EN, DIN

Model Number: 0.1mm-900mm

• Minimum Order Quantity: 1kg

• Price: Contact Us

Packaging Details: Waterproof Paper, Steel Strip Packed and

other Standard Export Seaworthy Package,

or customized package

Delivery Time: 5day
Payment Terms: T/T
Supply Ability: 90000ton



Product Specification

Certificate: ISO, SGS, BV
Edge: Slit Edge/Mill Edge
Grade: 200/300/400/900 Series

Material: Stainless Steel
 Thickness: 0.1mm-50mm
 Width: 1000mm-2000mm
 Application: Building, Construction, etc


• Tolerance: ±1%

• Processing Service: Welding, Punching, Cutting, Bending,

Decoiling



More Images



Product Description

PRODUCT DESCRIPTION

Cold Rolled Stainless Steel Strip Coil for Washing Machine Inner Bucket

430 stainless steel is a general steel with good corrosion resistance. Its thermal conductivity is better than austenite, its thermal expansion coefficient is smaller than austenite, its heat resistance fatigue, and the addition of stabilized element titanium has good mechanical properties at the welding seam.

430 stainless steel for building decoration, fuel burner parts, household appliances, home appliances parts.

Product Description

Stainless steel does not stain, corrode, or rust as easily as regular carbon steel and provides high strength and impact resistance along with the aesthetic appeal. The material also has anti-bacterial qualities and is easy to clean and sanitize. **Stainless steel sheet** and **stainless steel plate** are both a perfect solution for applications that require a durable metal with anti-oxidation qualities.

We offer **Stainless steel sheet** and **stainless steel plate** with high quality and competitive price. And the material is manufactured by TISCO, BAOSTEEL, POSCO, LISCO and so on. Mainly used in architectural decoration, luxury doors, elevator decoration, metal tank shell, shipbuilding, train interior decoration, and outdoor engineering, advertising nameplates, ceilings and cabinets, aisle panels, screens, tunnel projects, hotels, guesthouses, entertainment venues, kitchens Equipment, light industry, etc.







Zero Spangle GI Coil

Regular Spangle GI Coil

Big Spangle GI Coil

type of spangle









No spangle

Small spangle

Regular spangle


Big spangle


Specification

ITEM	DESCRIPTION
Product Name	ss coil supplier hot roll coil price 430BA 304BA 201 stainless steel coil
Standard	JIS, AISI, ASTM, GB, DIN, EN, etc.
Certificatio n	ISO, BV, SGS
Material	200 series 300 series 400 series 600 series
Model Number	304,304L,316L,316Ti,309S,310S,321,321H314,2205,S32205,,2507, S32750,600,631800H,825901,903,904L,N08904,,1.4529,N08926,317L, , 317LN347H,348H(253MA,S30815),254SMO,S31254,25- 6MOS32760440A, 440B,440CGH3030GH3039(C276,HC-276 Hastelloy)724L,725LN
Width	100mm, 500mm, 600mm, 1000mm, 1250mm, 1500mm, 1800mm, 2000mm, or, as required
Thickness	0.2mm-15mm, or as required
Technique	Cold Rolled, hot rolled
Surface Treatment	Polishing, Annealing, Pickling, Bright, or as required
Surface Finished	BA/2B/NO.1/NO.3/NO.4/8K/HL/2D/1D, or as required
Thickness Tolerance	±0.05mm, or as required
Package	Standard export seaworthy package . Water proof paper+Metal pallet+Angle bar protection+Steel belt or as required.
Payment	$\mbox{L/C}$ at sight or 30% TT as deposit and the balance paid against copy of B/L, west union, money gram
Price Term	CIF, CFR, FOB, EX-WORK
Loading Port	Shanghai, Lianyungang, Tianjin, Ningbo,China
Place of Origin	Jiangsu, China
Delivery Time	Prompt delivery 7-15 days after deposit or as order quantity.
MOQ	1 ton , sample or trial order acceptable
Sample	free provided, courier fee by the buyer's side.
Advantage s	Showing the splendor of your quality, wear-resistant as well, strong corrosion resistance and decorative effect.
Application	Stainless coil is commonly used in kitchen equipment, furnace parts, heat exchangers and decorative applications, etc
Container Size	20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 40ft HC: 12032mm(Lengh)x2352mm(Width)x2698mm(High)













APPLICATION




Fire building engineering



Power Construction Project







Automobile industry



Copper Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China